


**ORFS**

ORFS FEMALE 45°  
ELBOW  
**S63**  
Page 4-1


## ORFS

### S63

ORFS FEMALE 45° ELBOW

ORFS FEMALE SWIVEL NUT 45° ELBOW

- ISO 12151-1/SAE J516



Part Number	ORFS Female Thread (F)	Hose I.D (Inches)	Hose I.D (mm)	Dash size	Hex A/F (S)	Drop mm (K)	Cutoff (H)	Length mm (L)	Working Pressure (bar)	Working Pressure (psi)
S63-0904	9/16-18	1/4	6.3	04	17	10.5	32.5	60.5	450	6500
S63-1104	11/16-16	1/4	6.3	04	22	12.5	34.5	62.5	450	6500
S63-1106	11/16-16	3/8	10	06	22	12.5	36	66.5	450	6500
S63-1306	13/16-16	3/8	10	06	24	15	38.5	69	450	6500
S63-1308	13/16-16	1/2	12.5	08	24	15.5	42.5	75.5	415	6000
S63-1608	1-14	1/2	12.5	08	30	17.5	45	78	415	6000
S63-1610	1-14	5/8	16	10	30	18	49	85	350	5000
S63-1910	1 3/16-12	5/8	16	10	36	20.5	51.5	87.5	350	5000
S63-1912	1 3/16-12	3/4	19	12	36	21	58	99	350	5000
S63-2312	1 7/16-12	3/4	19	12	41	23.5	60.5	101	350	5000
S63-2316	1 7/16-12	1	25	16	41	29	78	134	415	6000
S63-2720	1 11/16-12	1 1/4	31.5	20	50	34	93	159	345	5000
S63-3224	2-12	1 1/2	38	24	60	41	113	195	290	4200

† - Please contact Hydraulink for further details and availability.

Pricing current as at 25 Jun 2021 and excludes GST. Hydraulink reserve the right to change pricing and technical specifications without notice.

† - Please contact Hydraulink for further details and availability.

Pricing current as at 25 Jun 2021 and excludes GST. Hydraulink reserve the right to change pricing and technical specifications without notice.